



**umoya**  
unlimited

## **Conference & Training Furniture**







**umoja**  
unlimited

# Contents:

## *Category*

Configuration Examples	3
Conference Chairs	8
Conference Tables & Accessories	12
Training & Education	14





# Configuration Examples

# Training & Education - Configuration Examples

Our Conferencing, Training and Education range offers a comprehensive set of products to meet all your specific requirements. From small to large set ups, medium to high end requirements.

A number of example configurations are shown below, followed by the individual components. Should you require a specific configuration, our sales consultants will put this together to meet your specific needs.

## Conference Room



Description	Features	Size
-------------	----------	------



Tables		
Rectangular Table	Oak Cherry Maple Mahogany	1350 x 700 x 740



Tables		
Trapezoid table	Oak Cherry Maple Mahogany	1350 x 700 x 740



Chairs		
Rickstacker	Burgundy Blue Black	410 x 820

# Conference Hall



Description	Features	Size
-------------	----------	------



Chairs		
Rickstacker	Burgundy Blue Black	410 x 820



Chairs		
Half round banquet chairs	Burgundy Blue Black	410 x 935

**Training Room**



Description	Features	Size
-------------	----------	------



Desks		
Teacher's desk	Adjustable ferrules 32mm steel legs 16mm melamine top	1500 x 750



Desks		
Pupil's desk	Adjustable ferrules 32mm steel legs 16mm melamine top	750 x 500



Tables		
Folding table	Folds away for easy storage	900 x 600 750 x 500



# Examination Hall



Description	Features	Size
-------------	----------	------




Chairs		
Rickstacker	Burgundy Blue Black	410 x 820



Tables		
Folding table	Folds away for easy storage	900 x 600 750 x 500



Desks		
Teacher's desk	Adjustable ferrules 32mm steel legs 16mm melamine top	1500 x 750



# Conference Chairs



# Conference & Training Furniture Catalogue

Order Code	Description
------------	-------------

## Chairs



### Rickstacker

410mm Wide; Steel 19mm square tube, 1.2mm wall thickness;  
Foam seat 40mm high density chipfoam  
Foam back 30mm medium density foam  
Stackable height 10 chairs

EN54001	Burgundy
EN54002	Black
EN54003	Royal Blue



### Staxis Stacker

Chair width: 425mm; Seat Height: 460mm  
Frame: 20mm x 20mm x 1.2mm Square  
Stabilising cross-beam leg support  
Rubber powder coating protectors (12pcs)

CECO17DBL	Black
CECO17DBLU	Blue
CECO17DBU	Burgundy



### Banquet Chair

Width: 435mm; Seat Height: 460mm  
Frame: 20mm x 20mm x 1.2mm Square  
Stabilising cross-beam leg support

CECO17BBL	Black
CECO17BBLU	Blue
CECO17BBU	Burgundy



### Banquet Chair - Full Round back

Width: 410mm; Full Height: 935mm; Steel 19mm square tube,  
1.2mm wall thickness  
Foam seat 50mm high density chipfoam  
Foam back 30mm medium density foam  
Stackable height 10 chairs  
Ideal for churches and conferencing (Upmarket)

EN54042	Black
EN54043	Royal Blue
EN54041	Burgundy



### Banquet chair - Square back

Width: 410mm; Full Height: 820mm; Steel 19mm square tube,  
1.2mm wall thickness  
Foam seat 50mm high density chipfoam  
Foam back 30mm medium density foam  
Stackable height 10 chairs  
Ideal for churches and conferencing (Upmarket)

EN54052	Black
EN54053	Royal Blue
EN54051	Burgundy

# Conference & Training Furniture Catalogue



Order Code	Description
<b>Econo arm chair</b>	
Width - 500mm Height - 830mm Steel - 22mm square tube Foam seat - 60mm high density chip foam Foam back - 40mm medium density foam Stackable	
EN54061	Burgundy
EN54062	Black
EN54063	Royal Blue



<b>Econo Side chair - No Arms</b>	
Width - 500mm Height - 830mm Steel - 22mm square tube Foam seat - 60mm high density chip foam Foam back - 40mm medium density foam Stackable	
EN58001	Burgundy
EN58002	Black
EN58003	Royal Blue



<b>Rickstaker with Tabloid</b>	
410mm Wide Steel 19mm square tube, 1.2mm wall thickness Foam seat 40mm high density chip foam Foam back 30mm medium density foam Tablet size 385mm x 385mm (L-shaped)	
EN54015	Burgundy
EN54016	Black
EN54017	Royal Blue

## Chairs - Designer Range



<b>Designer Arm Chair</b>	
	<b>Stacking Chair;</b> PP shell for back and seat black metal frame chrome steel tube
HCC-27	



<b>Designer Side Chair - No Arms</b>	
	<b>Stacking chair;</b> PP shell for back & seat, black metal frame chrome steel solid rod dia 10mm
HCC-32	




Order Code	Description
<b>Chair Trolleys</b>	



<b>Trolley</b>	
C0-ST	Stacker Trolley



<b>Trolley</b>	
Dolly HCC-27	Chair Trolley; Metal frame with 4 pcs castors power coating



# Conference Tables & Accessories

# Conference & Training Furniture Catalogue

Order Code	Description
------------	-------------

## Folding Tables



### Steel

TOFT20	1000 x 800 x 750mm high, steel folding table
CH-FT1	1700 x 760 x 750mm high, steel folding table
TOFT15	1890 x 760 x 750 mm high steel folding table
CH-FT2	2400 x 760 x 750 mm high steel folding table



### Rectangular - Melemine

EN124R1F	Rectangular 1200 x 450 - 16mm
EN124R2F	Rectangular 1200 x 450 - 22mm
EN126R1F	Rectangular 1200 x 600 - 16mm
EN126R2F	Rectangular 1200 x 600 - 22mm
EN128R2F	Rectangular 1200 x 800 - 22mm
EN177R2F	Rectangular 1700 x 750 - 22mm
EN184R2F	Rectangular 1800 x 450 - 22mm
EN187R2F	Rectangular 1800 x 750 - 22mm



### Easy Storage - 750

EN53164	750 x 500 - Mahogany
EN53165	750 x 500 - Oak
EN53167	750 x 500 - Cherry
EN53083	750 x 500 - Maple

### Easy Storage - 900

EN53162	900 x 600 - Mahogany
EN53161	900 x 600 - Oak
EN53160	900 x 600 - Cherry
EN53163	900 x 600 - Maple



### Fixed Table

Tabloid Legs & Saligna Top; 50 x 25 Rectangular Tubing; Powder Coating 60-70; Micron Dark Satin Black; TU13T - Saligna Top 22mm; Sprayed with clear Coat	
COTU13TS	Table Support Leg
COTU13T4	Top - 1000 X 400 X 22mm
COTU13T3	Top - 1000 x 350 x 22mm



### Fold Down Top


Folding Table (no under shelf)	
EN126R1OATF	1200 x 600
EN187R1OATF	1800 x 750

# Conference & Training Furniture Catalogue

Order Code	Description
------------	-------------



American Cherry



Mahogany



Oak



Maple



## Round Folding Conference Tables



ROUND TABLE - Conference Table - Melamine (All with Plastic T-Edge)	
EN12R2F	Round 1200mm - 22mm
EN12R3F	Round 1200mm - 32mm
EN16R2F	Round 1600mm - 22mm
ENS18RF	Round 1600mm - 32mm
EN18R2F	Round 1800mm - 22mm
EN18R3F	Round 1800mm - 32mm

ROUND TABLE - Conference Table - Supawood	
ENS18RF	Round 1800mm - 16mm - Supawood Raw with no Edge
ENS18RPF	Round 1800mm - 16mm - Supawood Raw with plastic T-Edge
ENS18RMPF	Round 1800mm - 16mm - Supawood melamine with Plastic T-Edge
ENS18RMSF	Round 1800mm - 16mm - Supawood melamine with Steel Edge

ROUND TABLE - Conference Table - with Soft Top	
RT/72	Round table; Steel frame with Plywood top; 1830*760Hmm

Order Code	Description
<b>Trapazoid &amp; Rectangular - Frame Base</b>	
Frame-32mm round tube, 1.6mm wall thickness; Top-16mm double sided melamine with 2mm impact edge; Adjustable ferrules; Knock down	




Trapazoidal Tables - Frame Base	
EN53120	TRAP 1350X700X730H Mahogany
EN53121	TRAP 1350X700X730H Oak
EN53122	TRAP 1350X700X730H Cherry
EN53123	TRAP 1350X600X730H Maple
EN53140	TRAP 1200X700X730H Mahogany
EN53141	TRAP 1200X700X730H Oak
EN53142	TRAP 1200X700X730H Cherry
EN53143	TRAP 1200X600X730H Maple



Rectangular Tables - Frame Base	
EN53110	RECTANGULAR 1350X700X730H Mahogany
EN53111	RECTANGULAR 1350X700X730H Oak
EN53112	RECTANGULAR 1350X700X730H Cherry
EN53113	RECTANGULAR 1350X600X730H Maple
EN53145	RECTANGULAR 1200X700X730H Mahogany
EN53146	RECTANGULAR 1200X700X730H Oak
EN53147	RECTANGULAR 1200X700X730H Cherry
EN53148	RECTANGULAR 1200X600X730H Maple



Projector Table	
CO-PT-1	VERS 1TRAY 450X450X700H OAK
CO-PT-2	VERS 2TRAY 450X450X700H OAK



# Training & Education



# Conference & Training Furniture Catalogue



Order Code	Description
------------	-------------

## School Desk

Superwood; Frame 25mm tubing, powder coated grey		
CO-SD-01	S/DESK (S/WOOD)	550X450X650H
CO-SD-02	S/DESK (S/WOOD)	550X450X750H
CO-SD-03	S/DESK (S/WOOD)	750X450X750H
CO-SD-04	S/DESK (S/WOOD)	1000X450X575H
CO-SD-05	S/DESK (S/WOOD)	1000X450X650H
CO-SD-06	S/DESK (S/WOOD)	1200X450X750H



## Pupils Desk

Adjustable ferrules; 32mm Steel Legs; 16mm Melamine top	
EN44011	Width 750 x Depth 500 x Height 722 - Mahogany
EN44010	Width 750 x Depth 500 x Height 722 - Oak
EN44012	Width 750 x Depth 500 x Height 722 - Cherry
EN44013	Width 750 x Depth 500 x Height 722 - Maple
EN44014	Width 750 x Depth 500 x Height 722 - White



## Combination Desks

22mm Superwood; 32mm Round Tubing; Powder coating - 60-70 micron; Light Grey	
CO-CD-6SU	C/DESK (S/WOOD) 600X450X750H
CO-CD-12SU	C/DESK (S/WOOD) 1200X450X750H



## Teachers Desk

Adjustable ferrules; 32mm Steel Legs; 16mm Melamine top	
EN44001	Width 1500 x Depth 750 x Height 722 - Mahogany
EN44002	Width 1500 x Depth 750 x Height 722 - Oak
EN44003	Width 1500 x Depth 750 x Height 722 - Cherry
EN44004	Width 1500 x Depth 750 x Height 722 - Maple
EN44005	Width 1500 x Depth 750 x Height 722 - White



## Teachers Desk

Frame 32mm tubing, powder coated	
CO-TD-01	T/DESK (2DRAW) S/Wood 1500X850X750H
CO-TD-02	T/DESK (3DRAW) S/Wood 1500X850X750H
CO-TD-03	T/DESK (2DRAW) S/Wood 1800X850X750H
CO-TD-04	T/DESK (3DRAW) S/Wood 1800X850X750H



## Student Work Station

16mm Melamine; 22mm Square Tube; Knock Down;	
EN43032	900X600X730H Mahogany
EN43031	900X600X730H Oak
EN43030	900X600X730H Cherry
EN43033	900X600X730H Maple



## Soft Seating Furniture Catalogue



Order Code	Description
<b>School Chair</b>	
Frame 19mm	
CO-SC-01	S/CHAIR 325H
CO-SC-02	S/CHAIR 375H
CO-SC-03	S/CHAIR 450H



<b>Training Chair</b>	
Steel 19mm square tube, 1.2mm wall thickness	
Foam seat 40mm high density chipfoam	
Foam back 30mm medium density foam	
Tablet size 385mm x 385mm (L-shaped)	
EN54015	Burgandy
EN54016	Blue
EN54017	Black





**umoya**  
unlimited

## Contact us:

Email: [contactus@umoyaunlimited.com](mailto:contactus@umoyaunlimited.com)

Telephone: +27 11 207 6260

Office Hours: 08h30–16h30 (Mon – Fri)

Website: [www.umoyaunlimited.com](http://www.umoyaunlimited.com)

Address: **Unit 18 Gallagher Place**

**Cnr Suttie and Richards Drive**

**Midrand, Gauteng, 1682**

**South Africa**

*For a quote, please contact [contactus@umoyaunlimited.com](mailto:contactus@umoyaunlimited.com)*

